Version 1.0



General Certificate of Education (A-level) Applied January 2012

Applied Science

SC02

(Specification 8771/8773/8776/8777/8779)

Unit 2: Energy Transfer Systems

Final



Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all examiners participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for standardisation each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, examiners encounter unusual answers which have not been raised they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from: aga.org.uk

Copyright © 2011 AQA and its licensors. All rights reserved.

Copyright

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the school/college.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales (company number 3644723) and a registered charity (registered charity number 1073334). Registered address: AQA, Devas Street, Manchester M15 6EX.

Question	Part	Sub Part	Marking guidance		Mark	Comment
1	(a)		 P: Atria contract / blood flows into ventricles / small increase in pressure (in ventricles) / atrioventricular valve(s) (bicuspid and/or tricuspid) open QRS: Ventricles contract / large increase in pressure in ventricles / atrioventricular valve(s) closes / blood leaves the heart T: Ventricles relax /heart at rest (relaxes) / pressure falls in ventricles / diastole / semi-lunar valve(s) (aortic and/or pulmonary) closes / atria refill with blood 	(1)(AO1) (1)(AO1) (1)(AO1)	3	 P: Allow atrial systole Allow A-V valves QRS: Allow ventricular systole Ignore any reference to repolarisation or depolarisation
1	(b)		 A: Bradycardia B: Normal (heartbeat) C: Ventricular fibrillation D: Tachycardia 	(1)(AO2) (1)(AO2) (1)(AO2) (1)(AO2)	4	
1	(c)	(i)	60 – 80 (bpm)	(1)(AO1)	1	
1	(c)	(ii)	Time taken for pulse rate to return to normal (resting) rate, following a period of exercise (is a measure of cardiovascular fitness) The shorter the time taken for pulse rate to return to normal (resting rate) the fitter the person	(1)(AO2) (1)(AO2)	2	Allow 'healthier' ≡ 'fitter'
1	(d)		Person B (no mark for stating this) Explanation: Peak expiratory flow rate is the highest / within the normal range (400 – 600 dm ³ min ⁻¹) Blood pressure is not high (Accept ' BP within the normal range') (Resting) pulse rate is within the normal range / pulse rate is lowest Time taken for pulse rate to return to normal (resting) rate after exercise is the shortest OWTTE / pulse rate has returned to normal (resting) (within 3 minutes) ECG trace for person B is the only trace that is normal	(1)(AO2) (1)(AO2) (1)(AO2) (1)(AO2) (1)(AO2) Max 4	4	N.B. Any answers relating to any person other than B = 0 Average ≠ normal Mk pt 2: Allow 'BP below normal' / 'BP is the lowest' Mk pt 3: Allow '60 – 80' ≡ 'normal (resting) pulse rate'

		(Aortic) valve prevents backflow of blood / faulty valve	(1)(AO1)		
		does not prevent backflow of blood			
1	(e)	into the left ventricle	(1)(AO1)	3	
		A faulty valve will result in less blood being pumped			
		round the body (with every beat of the heart)	(1)(AO1)		

1	(f)		Electrocardiogram/ ECG/ echocardiogram / stethoscope	(1)(AO1)	1	Do not accept 'electroencephalogram'/ EEG
---	-----	--	--	----------	---	--

		Some people's religion / objecting to anything that comes from a pig The length of time the different valves will operate (survive), within the patient, may vary / age of pig valve	(1)(AO1)		
1	(g)	Potential danger of using parts from one species inside another e.g. unsuspected virus or prion transfer Not wanting an animal to die or suffer / animal welfare	(1)(AO1)	2	N.B. Prion is a pathogen (disease-
		issues / animal rights Unnecessary use of non-renewable resources when parts from pigs are available for use (instead) (Greater) risk of organ being rejected	(1)(AO1) (1)(AO1) (1)(AO1)		causing agent)
			(1)(AO1) Max 2		

2	(a)	(i)	A: Trachea B: Lung	(1)(AO1) (1)(AO1)	2	
			Disphragm relayes	(1)(AO1)		
			Diaphragm relaxes Diaphragm moves up (becomes dome-shaped)	(1)(AO1) (1)(AO1)		
			Intercostal muscles relax	(1)(AO1)		
			Ribs move in / down	(1)(AO1)		

			Ribs move in / down	(1)(AO1)		
2	(a)	(ii)	Thoracic (allow 'chest') cavity decreases in size (or		4	
			volume)	(1)(AO1)		
			Pressure surrounding lungs (allow 'in thoracic cavity')	.,.,		
			increases compared with atmospheric pressure	(1)(AO1)		
				Max 4		

2	(b)	(i)	Breathing rate increases as the (percentage) concentration of CO_2 increases Gradual (slow) increase in rate up to 5.48 % / rapid increase at 6.02% (or after 5.48%) / at the highest concentration of CO_2 the breathing rate approximately	(1)(AO2)	2	Allow 'more breaths' ≡ 'increased breathing rate'
			doubles	(1)(AO2)		

2	(b) (ii)	Chemoreceptors (Chemoreceptors) in aortic body / aortic arch /aorta / carotid body / carotid artery / medulla Stimulated by decrease in pH / increase in hydrogen ions / increase in acidity More impulses to medulla / medulla stimulated More impulses to intercostal muscles (or diaphragm)	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) Max 3	3	Allow 'chemical receptor' ≡ 'chemoreceptor'	
---	----------	--	---	---	--	--

3	(a)		Homeostasis	(1)(AO1)	1	
3	(b)	(i)	He will suffer from heat exhaustion / heat stroke	(1)(AO2)	1	Ignore 'hyperthermia'
3	(b)	(ii)	Take each reading more than once (in same part of body)	(1)(AO3)	1	Accept 'take readings under the same conditions' Ignore any references to averages
3	(b)	(iii)	Digital thermometer (No mark) Less chance of human error Because scale does not have to be interpreted It gives smaller intervals of temperature Reads to 0.1 (a decimal point) / more precise Allow: faster response time (so) more readings in any given time period (so) better at recording fluctuating temperatures	(1)(AO3) (1)(AO3) (1)(AO3) (1)(AO3) (1)(AO3) (1)(AO3) (1)(AO3) (1)(AO3) (1)(AO3) Max 2	2	Mk pt 1: 'Less chance of human error' ≡ 'easier to read' Mk pt 2: Allow: 'provides a (numerical) objective value'

3	(C)	Conduction Convection Radiation Evaporation / sweating Urine / excretion Faeces Exhaled air / breathing <u>out</u> Vomiting	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) Max 2	2	Mk pt 4 Allow 'perspiration' Ignore 'vasodilation'
3	(d)	Dimensions:How much surface area of body is exposedSurface areaYolumeTemperature: Temperature of surroundingsTemperature of bodyMoisture: Humidity of surroundingsWetness of skin / clothesHydration levels of body (e.g. whether dehydrated)Heat transfer: Amount of body fatAmount of clothing / insulationColour of surface of bodyMovement of air in the surroundingsLevel of activity of body (basal) metabolic rate	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) Max 2	2	Apply 'list principle' If give 1 incorrect answer then 2 correct answers: only 1 mark Reject 'exercise' alone

4	(a)	Hot water is less dense (or reverse argument) (so) cold water falls Hot water is lifted / rises Convection (currents)	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) Max 3	3	Do not accept comments about hot air
---	-----	--	---	---	--------------------------------------

4	(b)	(i)	Metal / copper is a conductor (of heat) / a poor insulator Short heat path / thin pipe Large surface area (of pipes) Dark / black is a (good) radiator (from pipes) Large temperature difference (between water and air)	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) Max 3	3	
4	(b)	(ii)	U-value = 8.0 3 marks for correct answer alone 1 compensation mark for correct substitution: $480 = U \times 1.2 \times 50$ AND/OR correct re-arrangement: $[U = 480 / (1.2 \times 50)] = 2$ marks max 2 for 0.008, 6.7 Allow 1 mark for 0.0067	(3)(AO2)	3	Allow 0.48 kW = 480 W Allow 6.66 or 6.6 recurring but NOT 6.6
4	(c)		(more) wasted energy / cools faster (at higher temperatures) / heat lost	(1)(AO1)	1	Ignore 'takes longer to heat up' Reject 'uses up more energy'
4	(d)		use plastic plastic is a better insulator = 2 use a thicker (walled) pipe thicker pipe will increase path length = 2 fit lagging / foam / insulation lagging contains air gaps = 2 polish copper / paint pipe white (silver) to reduce radiation reduce water temperature less temp. difference (water to air) shorten pipes less (surface) area fit reflector near pipe to reflect heat back (into the pipes)	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) Max 4	4	

		Take water temp. at fixed location (same place) Same (named) equipment / thermometer Temp readings repeated several <u>days / nights</u> same temperature outside tank	(1)(AO3) (1)(AO3) (1)(AO3) (1)(AO3)	_	Mk pt 3: Ignore 'repeat readings' alone
4	(e)	same starting temperature (for water) / same heating time same amount of water (in tank) same tank size / material / thickness / insulation	(1)(AO3) (1)(AO3) (1)(AO3) Max 5	5	

4	(f)	172.8 p / £1.728 / 173 p / £ 1.73 2 marks for correct answer alone (with units) 1 compensation mark for correct substitution: cost = 0.48 x 15 x 24 max 1 for £172.8 / £173 / 1.73 p OR any of the above answers without a unit	(2)(AO2)	2	Allow 172p or £1.72	
---	-----	--	----------	---	---------------------	--

5	(a)	Longer distance to stop / longer time to absorb (or transfer) (same) energy to change (same) momentum less acceleration so less force no ricochets / do not bounce off	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1)	 'Less rate of change of momentum' = 2 (mk pts 1 + 3) Mk pt 4 Allow 'smaller deceleration' Reject 'decelerate less' Mk pt 6 Allow 'do not deflect a bullet'
		no ricochets / do not bounce off	(1)(AO1) Max 3	Mk pt 6 Allow 'do not deflect a bullet'

5	(b)	7500 (J) 3 marks for correct answer alone max 2 for 7500 000 1 compensation mark for correct substitution AND/OR 1 compensation mark for k.e. = $\frac{1}{2}$ m v ² k.e = 0.5 x 0.06 x 500 ² \rightarrow 2 marks	(3)(AO2)	3	
---	-----	---	----------	---	--

5	(c)	(i)	8000 (m) 3 marks for correct answer alone Accept range $8000 - 8165$ for 3 marks (Accept $8.0 - 8.165$ for 2 max) allow 1 for 'gpe gain = k.e lost' OR allow 1 for 'gpe = m g h' OR allow 1 for 'm g h = 4800' Allow use of 9.8 instead of 10 (8163 m)	(3)(AO2)	3	Allow $E_P \equiv GPE$ and $E_K \equiv KE$
5	(c)	(ii)	friction with air / air resistance (means) bullet loses energy energy turns to heat energy lost in air / atmosphere	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) Max 3	3	Mk pt 1: Ignore reference to gun barrel Mk pt 2: Ignore 'wind resistance'

6	(a)	25% of the input energy/power (is given out) as useful (energy/power)	(1)(AO1) (1)(AO1)	2	Reject any answers which refer to diesel / fuel Accept numerical examples e.g.'100J input only 25J given out as useful energy'
6	(b)	danger (from moving blades) / distraction air friction / air resistance / drag / lower top speed / less streamlined lower mpg / more fuel used capital cost not recovered	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) max 2	2	Mk pt 2: Allow 'less aerodynamic' Allow 'turbine expensive' / 'expensive to set up'
6	(c)	solar cells / photo-voltaic cells Allow: alternator / solar panels / solar power	(1)(AO1)	1	Reject 'solar' alone

6	(d)	CO ₂ given off (which is) a greenhouse gas waste heat produced Allow 'energy used in manufacture may be generated using fossil fuels'	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1) max 2	2	Ignore any reference to carbon monoxide / NO _x / SO _x / greenhouse <u>effect</u>
---	-----	--	---	---	---