

Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										



General Certificate of Education
Advanced Subsidiary Examination
January 2013

Mathematics

MM1B

Unit Mechanics 1B

Wednesday 23 January 2013 9.00 am to 10.30 am

For this paper you must have:

- the blue AQA booklet of formulae and statistical tables.
- You may use a graphics calculator.

Time allowed

- 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer each question in the space provided for that question. If you require extra space, use an AQA supplementary answer book; do **not** use the space provided for a different question.
- Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.
- The **final** answer to questions requiring the use of calculators should be given to three significant figures, unless stated otherwise.
- Take $g = 9.8 \text{ m s}^{-2}$, unless stated otherwise.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	



J A N 1 3 M M 1 B O 1

Answer **all** questions.

Answer each question in the space provided for that question.

- 1** A car travels on a straight horizontal race track. The car decelerates uniformly from a speed of 20 m s^{-1} to a speed of 12 m s^{-1} as it travels a distance of 640 metres. The car then accelerates uniformly, travelling a further 1820 metres in 70 seconds.
- (a) (i) Find the time that it takes the car to travel the first 640 metres. (3 marks)
- (ii) Find the deceleration of the car during the first 640 metres. (3 marks)
- (b) (i) Find the acceleration of the car as it travels the further 1820 metres. (3 marks)
- (ii) Find the speed of the car when it has completed the further 1820 metres. (3 marks)
- (c) Find the average speed of the car as it travels the 2460 metres. (2 marks)

QUESTION
PART
REFERENCE

Answer space for question 1



QUESTION
PART
REFERENCE**Answer space for question 1**

- 2** Three forces act on a particle. These forces are $(9\mathbf{i} - 3\mathbf{j})$ newtons, $(5\mathbf{i} + 8\mathbf{j})$ newtons and $(-7\mathbf{i} + 3\mathbf{j})$ newtons. The vectors $\mathbf{i}$ and $\mathbf{j}$ are perpendicular unit vectors.
- (a) Find the resultant of these forces. (2 marks)
- (b) Find the magnitude of the resultant force. (2 marks)
- (c) Given that the particle has mass 5 kg, find the magnitude of the acceleration of the particle. (2 marks)
- (d) Find the angle between the resultant force and the unit vector $\mathbf{i}$. (3 marks)

QUESTION
PART
REFERENCE

Answer space for question 2



QUESTION
PART
REFERENCE**Answer space for question 2****Turn over ►**

- 3** A box, of mass 3 kg, is placed on a rough slope inclined at an angle of 40° to the horizontal. It is released from rest and slides down the slope.
- (a) Draw a diagram to show the forces acting on the box. (1 mark)
- (b) Find the magnitude of the normal reaction force acting on the box. (2 marks)
- (c) The coefficient of friction between the box and the slope is 0.2. Find the magnitude of the friction force acting on the box. (2 marks)
- (d) Find the acceleration of the box. (3 marks)
- (e) State an assumption that you have made about the forces acting on the box. (1 mark)

QUESTION
PART
REFERENCE

Answer space for question 3



QUESTION
PART
REFERENCE

Answer space for question 3

Handwriting practice area with horizontal dotted lines.

Turn over ►



- 4** A tractor, of mass 3500 kg, is used to tow a trailer, of mass 2400 kg, across a horizontal field. The trailer is connected to the tractor by a horizontal tow bar. As they move, a constant resistance force of 800 newtons acts on the trailer and a constant resistance force of R newtons acts on the tractor. A forward driving force of 2500 newtons acts on the tractor. The trailer and tractor accelerate at 0.2 m s^{-2} .
- (a) Find R . (3 marks)
- (b) Find the magnitude of the force that the tow bar exerts on the trailer. (3 marks)
- (c) State the magnitude of the force that the tow bar exerts on the tractor. (1 mark)

QUESTION
PART
REFERENCE

Answer space for question 4



QUESTION
PART
REFERENCE

Answer space for question 4

Area for writing the answer to question 4, consisting of horizontal dotted lines.

Turn over ►



- 5** Two particles, A and B , are moving towards each other along the same straight horizontal line when they collide. Particle A has mass 5 kg and particle B has mass 4 kg . Just before the collision, the speed of A is 4 m s^{-1} and the speed of B is 3 m s^{-1} . After the collision, the speed of A is 0.6 m s^{-1} and both particles move on the same straight horizontal line.

Find the two possible speeds of B after the collision.

(6 marks)

QUESTION
PART
REFERENCE


Answer space for question 5



QUESTION
PART
REFERENCE**Answer space for question 5****Turn over ►**

6

A river has straight parallel banks. The water in the river is flowing at a constant velocity of 3 m s^{-1} parallel to the banks. A boat crosses the river, from the point A to the point B , so that its path is at an angle α to the bank. The velocity of the boat relative to the water is 4 m s^{-1} perpendicular to the bank. The diagram shows these velocities and the path of the boat.



- (a) Show that $\alpha = 53.1^\circ$, correct to three significant figures. (2 marks)
- (b) The boat returns along the same straight path from B to A . Given that the speed of the boat relative to the water is still 4 m s^{-1} , find the magnitude of the resultant velocity of the boat on the return journey. (6 marks)

QUESTION
PART
REFERENCE

Answer space for question 6



Answer space for question 6

This image shows a full page of primary-ruled paper. It features a vertical solid line on the left side, creating a narrow margin. The rest of the page is filled with horizontal dashed lines, providing a guide for letter height in handwriting practice. There are no other markings or text on the page.

Answer space for question 6

[illegible]

Answer space for question 6

[illegible]

- 7** A particle is initially at the point A , which has position vector $13.6\mathbf{i}$ metres, with respect to an origin O . At the point A , the particle has velocity $(6\mathbf{i} + 2.4\mathbf{j}) \text{ m s}^{-1}$, and in its subsequent motion, it has a constant acceleration of $(-0.8\mathbf{i} + 0.1\mathbf{j}) \text{ m s}^{-2}$. The unit vectors $\mathbf{i}$ and $\mathbf{j}$ are directed east and north respectively.
- (a) Find an expression for the velocity of the particle t seconds after it leaves A . (2 marks)
- (b) Find an expression for the position vector of the particle, with respect to the origin O , t seconds after it leaves A . (3 marks)
- (c) Find the distance of the particle from the origin O when it is travelling in a north-westerly direction. (7 marks)

QUESTION
PART
REFERENCE

Answer space for question 7



Answer space for question 7

This image shows a full page of primary-ruled paper. It features a vertical solid line on the left side, creating a narrow margin. The rest of the page is filled with horizontal dashed lines, providing a guide for letter height and placement. There are no markings, text, or illustrations on the page.

A diagram showing a curved path (parabola) starting from a point on a horizontal line and ending at a point 3 m vertically above the horizontal line. The horizontal distance between the start and end points is labeled as 38.4 m. At the starting point, a vector labeled V is shown at an angle α to the horizontal line.

(a) Find the horizontal component of the velocity of the ball. (2 marks)

(b) Find V . (5 marks)

(c) Find α . (3 marks)

Answer space for question 8

[illegible]

Answer space for question 8

This image shows a full page of primary-ruled paper. It features a vertical solid line on the left side, creating a narrow margin. The rest of the page is filled with horizontal dashed lines, providing a guide for handwriting practice. There are no other markings or text on the page.

Answer space for question 8

Copyright © 2013 AQA and its licensors. All rights reserved.

