

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/23
Paper 2			May/June 2013
			1 hour 15 minutes
Candidates and	swer on the Question Paper.		
No Additional N	Materials are required.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 14 printed pages and 2 blank pages.



The structures of five atoms, A, B, C, D and E, are shown below.



- (a) Answer the following questions about these structures. Each structure can be used once, more than once or not at all.
 - (i) Which two structures are hydrogen atoms? and
 - (ii) Which structure represents an atom of a metal?
 - (iii) Which structure has a proton (atomic) number of 3?
 - (iv) Which structure has two neutrons in its nucleus? [5]
- **(b)** The structure of carbon-12 can be written ${}^{12}_{6}$ C.

Write the structure of atom **D** in a similar way.

[1]

(c) Complete the following sentences about isotopes using words from the list below.

atoms er	nergy ir	on m	olecules	
neutrons pro	otons radio	active	stable	
Isotopes are atoms of the sam	e element with th	e same numb	per of	
and different numbers of	Some i	sotopes such	as uranium-235	are
Uranium-235 ca	n be used as a sou	ırce of		[4]

[Total: 10]

2 The table shows some physical properties of the Group VII elements.

halogen	melting point /°C	boiling point /°C	atomic radius /nanometres	colour
fluorine	-220	-188		pale yellow
chlorine	-101	-35	0.099	
bromine	– 7	+59	0.114	red-brown
iodine	+114	+184	0.133	grey-black

(a) Use the information in the table to explain

(i)	chlorine is a gas at room temperature,
	[1]


(ii)	bromine is a liquid at room temperature.	
	[1]	


(b)	Describe the trend in atomic radius going down the group from chlorine to iodine.	
		[1]

(c)	Suggest a value for the atomic radius of fluorine.









[2]

(f) Chlorine reacts with potassium bromide to form potassium chloride and bromine.

(i) Complete the symbol equation for this reaction.

$$Cl_2 + \dots KBr \rightarrow 2KCl + \dots$$
 [2]

(ii) Explain why iodine does **not** react with potassium bromide.

[1]

[Total: 10]

- 3 Aluminium and gallium are in Group III of the Periodic Table.
 - (a) The heat from your hand is sufficient to melt gallium.

 Describe the change in state from solid to liquid in terms of the kinetic particle theory. In your answer include
 - the difference in arrangement and closeness of the particles in a solid and a liquid,

 the difference in the motion of the particles in a solid and a liqu

 	 	 	[5]


(b) Gallium is a metal. Describe **three** physical properties of gallium which are typical of most metals.

1.		
2		
		• • •
2	ŗ	21

(c) When it is a gas, gallium(III) chloride has the structure shown below.

Write the molecular formula for gallium(III) chloride.

(d) Aluminium is used to make high voltage electricity cables.



The table shows some properties of four metals which could be used for overhead power cables.

metal	relative strength	density in g/cm³	relative electrical conductivity	price \$ per tonne	
aluminium	9	2.70	0.4	2120	
copper	30	8.92	0.7	9600	
tungsten	100	19.35	0.2	450	
steel	50	7.86	0.1	700	

(i)	Suggest why aluminium, rather than tungsten, is used in overhead power cables?
	[1]
(ii)	Suggest why steel, rather than copper, is used as a core for overhead power cables.
	[1]
(iii)	Give two reasons why aluminium is used for overhead power cables rather than copper.
	1
	2
e) Sta	ate one use of aluminium other than as an electrical conductor.
	[1]
	[Total: 14]

	For Examiner's Use
 [2]	
[1]	
[2]	
ıle.	
[1]	
[1]	
[1]	

Impure	water needs to be treated if it is to be used in the home.
(a) (i)	Explain why filtration and chlorination are used in the water treatment process.
	[2]
(ii)	State one use of water in the home.
	[1]
(b) De	scribe a chemical test for water.
tes	t
res	ult[2]
(c) (i)	Complete the diagram below to show the electron arrangement in a water molecule.
	H
	[1]
(ii)	Is the bonding in water covalent or ionic? Give a reason for your answer.
	[1]
	re water is neutral. Which one of these pH values is neutral? ta ring around the correct answer.
	pH 0 pH 6 pH 7 pH 9 pH 13 [1]
	ater reacts with sodium. The products are sodium hydroxide and hydrogen. ite a word equation for this reaction.

[1]

[Total: 9]


- **5** Energy is given out when fuels burn.
 - (a) State the name given to a chemical reaction which releases energy.


.....[1]


(b) Hydrogen can be used as a fuel.
Complete the symbol equation for the burning of hydrogen in oxygen.


..... $H_2 + \rightarrow 2H_2O$ [2]

(c) Gasoline is a mixture of hydrocarbons containing between 5 and 10 carbon atoms. Four of these hydrocarbons are shown below.









(i) Which **one** of these structures, **A**, **B**, **C** or **D**, has the highest relative molecular mass?

You are not expected to do any calculations.

.....[1]

(ii) Give one use of gasoline.


[1]

(d) The table shows the boiling points of the straight-chain hydrocarbons in the gasoline fraction.

For Examiner's Use

number of carbon atoms	5	6	7	8	9	10
boiling point/°C	36	69		126	151	174

(i) On the grid below, plot a graph to show how the boiling point changes with the number of carbon atoms in these hydrocarbons. Draw a smooth curve through the points.



(ii) Use your graph to deduce the boiling point of the hydrocarbon with 7 carbon atoms.

boiling point°C [1]

[3]


(e)	The	alkanes are a homologous series of hydrocarbons.	For Examiner's Use
	(i)	What is meant by the term <i>homologous series</i> ?	Ose
		[2]	
	(ii)	Alkanes can be cracked to form alkenes and smaller alkanes. State the conditions needed for cracking.	
		[2]	
		[Total: 13]	

For

- 6 Inks are mixtures of different dyes.
 - (a) A student used paper chromatography to separate the dyes in a particular ink. Describe how paper chromatography is carried out. You may draw a diagram to help explain your answer. In your description include
 - the apparatus you would use,
 - how chromatography is carried out.

		 [4]

(b) The chromatogram below shows the results of a chromatography experiment.
 X, Y and Z are pure dyes containing only one compound.
 The dyes present in four different inks, D, E, F and G are also shown.



(i)	Which ink, D , E , F or G , contains all the dyes X , Y and Z ?	
		[1]
(ii)	Which ink, D , E , F or G , does not contain any of the dyes X , Y and Z ?	
		[1]
(iii)	Which ink contains the greatest number of different dyes?	
		[1]

(c) Some inks contain ethanoic acid.

Complete the structure of ethanoic acid.

For Examiner's Use

[1]

(d) Ethanoic acid can be used as a solvent. What is the meaning of the term *solvent*?

.....[1]

(e) The structure of a dye called Gambine R is shown below.

(i) How many different types of atom are there in one molecule of Gambine R?

.....[1]

(ii) How many carbon atoms are there in one molecule of Gambine R?

.....[1]

[Total: 11]

For Examiner's Use


(a) (i) What is meant by the term enzyme?

(ii) Complete the symbol equation for this reaction.

.....
$$H_2O_2 \rightarrow 2H_2O + O_2$$
 [1]

(b) A student followed the course of this reaction by measuring the volume of oxygen released over a period of time.

The diagram below shows some results that he obtained using hydrogen peroxide at three different concentrations.



(i) Describe how the concentration of hydrogen peroxide affects the rate of this reaction.

.....[1]

(ii) On the graph above, draw a line to show the course of the reaction when the starting concentration of hydrogen peroxide is 0.3 mol/dm³. [2]

(iii) For the concentration of hydrogen peroxide of 0.4 mol/dm³, deduce

• the volume of oxygen given off when the reaction is complete,

..... cm³

• the time it takes to produce 14 cm³ of oxygen.

..... seconds [2]

(c)		he presence of sulfuric acid, hydrogen peroxide reacts with iodide ions to form iodine water. This involves the reduction of hydrogen peroxide.
	(i)	What is the meaning of the term reduction?
		[1]
	(ii)	Complete the word equation for the reaction of sulfuric acid with calcium hydroxide.
	S	sulfuric acid + calcium hydroxide → + +
		[2]
	(iii)	Describe a test for iodide ions.
		test
		result[2]
		[Total: 13]

For Examiner's Use

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 He lium	20 Neon 10 Ar Argon	84 Kr Krypton 36	131 Xe Xenon 54	Radon 86		175 Lu Lutetium 71	Lawrendum
			19 Fluorine 9 35.5 C 1 Chlorine	80 Br Bromine 35	127	At Astatine 85		173 Yb Ytterbium 70	Nobelium Nobelium
			16 Oxygen 8 32 32 Suffur 16	Selenium	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium 69	Md Mendelevium
	>		Nitrogen 7 Nitrogen 7 31 31 15 Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi Bismuth		167 Er Erbium 68	Fermium Fermium
	2		Carbon 6 Carbon 8 Silicon 14	73 Ge Germanium 32	119 Sn Tn 50	207 Pb Lead		165 Ho Holmium 67	ES Einsteinium
	=		11 B Boron 5 A7 A1 Aluminium 13	70 Ga Gallium 31	115 n Indium 49	204 T 1 Thallium 81		162 Dy Dysprosium 66	Cf Californium
				65 Zn 2inc 30	Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	
				64 Copper 29	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Cm Curium
Group				S9 Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am
ອັ				59 Co Cobalt 27	Rh Rhodium	192 r Iridium		Samarium 62	Pu Plutonium
		Hydrogen 1		56 Fe Iron	Ru Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium
				Mn Manganese 25	Tc Technetium	186 Re Rhenium 75		144 Nd Neodymium 60	238 U
				Cr Chromium	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium
				51 V Vanadium 23	Niobium 41	Ta Tantalum 73		140 Ce Cerium 58	232 Th
				48 Ti Titanium 22	91 Zr Zirconium 40	178 Hf Hafnium 72			nic mass Ibol nic) number
				Scandium 21	89 Y	139 La Lanthanum 57 *	227 Actinium †	d series series	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Be Beryllium 4 24 Mg Magnesium 12	Calcium	Strontium 38	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	<i>a</i> ×
	_		7 Lithium 3 23 Na Sodium 11	39 Potassium	Rubidium 37	133 Cs Caesium 55	Francium 87	*58-71 L	Key

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).